

RELIEVERS		CONTROLLERS / MAINTENANCE						
Short-Acting Beta2-Agonist (SABA)		Long-Acting Beta2-Agonist (LABA)		Combination ICS/LABA				
<p>Airontin® +†† (salbutamol) Veleant Strength: 100mcg Capacity: 200 actuations for hospital pack</p> 	<p>Bricanyl® (terbutaline) Veleant Strength: 100mcg Capacity: 100 actuations for hospital pack</p> 	<p>Alvesco® +†† (ciclesonide) AstraZeneca Use: OD or BID Strength: 100mcg, 200mcg Capacity: 120 actuations/canister</p> 	<p>Amity™ Ellipta®* (fluticasone propionate) GlaxoSmithKline Use: OD Strength: 100mcg Capacity: 14 or 30 blisters/device</p> 	<p>Foradil® +†† via Aerolizer® (formoterol) Novartis Use: BID Strength: 12mcg Capacity: 60 capsules/carton</p> 	<p>Advair® Diskus® +†† (fluticasone propionate/salmeterol) GlaxoSmithKline Use: BID Strength: 100/50mcg, 500/50mcg Capacity: 28 or 60 blisters/device</p> 	<p>Advair® +†† (fluticasone propionate/formoterol) GlaxoSmithKline Use: BID Strength: 125/25mcg, 250/25mcg Capacity: 120 actuations/canister</p> 	<p>Breo® Ellipta® +†† (fluticasone furoate/formoterol) GlaxoSmithKline Use: OD Strength: 100/25mcg +†, 200/25mcg +† Capacity: 14 or 30 blisters/device</p> 	<p>Combination LAMA/LABA</p> <p>Duaklir™ Genuair®†† (aclinium/formoterol) AstraZeneca Use: BID Strength: 400mcg/12mcg Capacity: 60 actuations/device</p> 
<p>Ventolin® HFA +†† (salbutamol) GlaxoSmithKline Strength: 100mcg Capacity: 200 actuations/canister</p> 	<p>Ventolin® Diskus® +†† (salbutamol) GlaxoSmithKline Strength: 200mcg Capacity: 60 blisters/device</p> 	<p>Amanex® Twisthaler®* (mometasone furoate) Merck Use: OD or BID Strength: 100mcg, 200mcg, 400mcg Capacity: 30 (100 & 400mcg) or 60 (400mcg) doses/device</p> 	<p>Flovent® HFA +†† (fluticasone propionate) GlaxoSmithKline Use: BID Strength: 50mcg, 125mcg, 250mcg Capacity: 120 actuations/canister</p> 	<p>Serevent® Diskus® +†† (salmeterol) GlaxoSmithKline Use: BID Strength: 50mcg Capacity: 60 blisters/device</p> 	<p>Symbicort® Turbuhaler® +†† (budesonide/formoterol) AstraZeneca Use: OD or BID Strength: 100/6mcg, 200/6mcg (FORTE) Capacity: 120 doses/device</p> 	<p>Zenhale® +†† (formoterol/formoterol) GlaxoSmithKline Use: BID Strength: 100/5mcg, 200/5mcg Capacity: 120 actuations/canister</p> 	<p>Wixela® Inhub® +†† (fluticasone propionate/salmeterol) Mylan Inc. Use: BID Strength: 100/50mcg, 250/50mcg, 500/50mcg Capacity: 60 blisters/device</p> 	<p>Utiibro® Breezhaler®†† (aclinium/formoterol) Novartis Use: OD Strength: 2.5/2.5mcg per actuation Capacity: 28 or 60 actuations/cartridge</p> 
<p>Salbutamol HFA generic products such as: Apo-Salvent® ApoTeq, Salbutamol HFA Samis, Novo-Salbutamol HFA Teva</p>	<p>Short-Acting Muscarinic Antagonist (SAMA) (Anti-cholinergic)</p> <p>Atrivent® HFA†† (ipratropium) Boehringer Ingelheim Strength: 200mcg Capacity: 200 actuations/canister</p> 	<p>Flovent® Diskus®* (fluticasone propionate) GlaxoSmithKline Use: BID Strength: 100mcg, 250mcg, 500mcg Capacity: 60 blisters/device</p> 	<p>Puimicort® Turbuhaler®* (budesonide) AstraZeneca Use: BID Strength: 100mcg, 200mcg, 400mcg Capacity: 200 doses/device</p> 	<p>Incruse™ Ellipta® +†† (umclidinium) GlaxoSmithKline Use: OD Strength: 62.5mcg Capacity: 7 or 30 blisters/device</p> 	<p>Spiriva® +†† Respimat® (tiotropium) Boehringer Ingelheim Use: OD Strength: 2.5mcg/actuation Capacity: 28 or 60 actuations/cartridge</p> 	<p>Spiriva® +†† via HandiHaler® (tiotropium) Boehringer Ingelheim Use: OD Strength: 18mcg Capacity: 10 or 30 capsules/carton</p> 	<p>Trelegy® Ellipta® (fluticasone furoate/umeclidinium/formoterol) GlaxoSmithKline Use: OD Strength: 100/62.5/25mcg Capacity: 7 or 30 blisters/canister</p> 	<p>Combination ICS/LABA/LAMA</p> <p>Combivent® Respimat®†† (ipratropium/salbutamol) Boehringer Ingelheim Use: QID Strength: 20/100mcg Capacity: 120 actuations/cartridge Product monograph recommends: 1 inhalation 4 times/day for COPD</p> 
<p>Short-Acting Muscarinic Antagonist (SAMA) (Anti-cholinergic)</p>	<p>Additional Medications</p> <ul style="list-style-type: none"> • Leukotriene Receptor Antagonists (LTRA) +†: Acelebro® (cafirlumab), AzelaZenece, Singulair® (montelukast) Merck • IL-5 Inhibitor**: Cinqair™ (reslizumab) Teva, Nucalis® (mepolizumab) GlaxoSmithKline, Fasenra® (benralumab) AstraZeneca • Anti-IGE**: Xolair® (omalizumab) Novartis • Oral Corticosteroid (Oral Corticosteroids) +†: Prednisone e.g. ApoTeq, Teva, Japranam, Pro Doc Life • Methylxanthines: (aminophylline, oxtriphylline, theophylline) • Phosphodiesterase-4 inhibitor: Onxolast® (roflumilast) AstraZeneca • Macrolides††: e.g. Azithromycin • Mucolytic††: oral N-acetylcysteine 	<p>Combination SAMA/SABA</p> <p>Combivent® Respimat®†† (ipratropium/salbutamol) Boehringer Ingelheim Use: QID Strength: 20/100mcg Capacity: 120 actuations/cartridge Product monograph recommends: 1 inhalation 4 times/day for COPD</p> 	<p>Note: The addition of a valve-holding chamber (spacer) with a pMDI is helpful in improving coordination, reducing side effects and increasing drug delivery and deposition. (C1S 2010 Asthma Guidelines—respiratorguidelines.ca)</p>					

Acronyms: OD = Once daily, BID = Twice Daily, QID = Four times daily. **Symbols:** †Indicated for the treatment of COPD, ††Indicated for use with a valve-holding chamber (spacer). This is not a complete list of respiratory medications. **Please refer to the respective product monographs for detailed information on indications, contraindications, adverse events, dosing and administration and patient selection.** Health Canada Drug Product Database: <https://health-products.canada.ca/dpd-bdpp/index-eng.jsp>. This chart is provided for information purposes only. Medications are listed in alphabetical order. Images used were obtained through internet searches and/or received from pharmaceutical companies (AstraZeneca, Merck, Novartis, Valeant, GSK (copyright GlaxoSmithKline Inc. Used with permission)).